

# Index\*

Abbreviations used in field notes	8-11
Accessories to corner monuments (See also specific class of monument)	4-5, 4-83, 4-96
Bearing trees and bearing objects	4-85 to 4-90
Markings	4-96 to 4-114
Memorials	4-91
Mound of stone	4-92
Pits	4-94
Reference monuments	4-5, 4-16, 4-82, 4-83, 4-96
Accreted lands, sovereignty over	7-65
Accretion and reliction	7-62 to 7-70
Admission of States into the Union	1-23
Aerial photography (See also Photogrammetry)	2-8 to 2-14
Aliquot parts of sections	1-21, 3-33, 3-75
Altitude observation of sun for azimuth	2-56 to 2-63
Amended monument	3-36, 5-41, 8-16(6)
Angle points	3-96, 4-4
Accessories	4-113
Independent resurveys	6-38, 6-39, 6-49
Marks on monuments	4-45, 6-49(7)
Metes-and-bounds surveys	7-16
Restoration on grant boundaries	5-44
Restoration on irregular boundary	5-36
Restoration on nonriparian meander lines	5-43, 7-84
Apparent time	2-27, 2-70
Apportionment of accretion and reliction	7-62 to 7-67
Apportionment of beds of nonnavigable waters	7-57 to 7-61
Arcs of earth's surface, lengths of	2-81
Areas, computation of	9-24 to 9-34, 9-86
Artificial bodies of water	3-121
Auxiliary correction line	3-13
Auxiliary guide meridian	3-16
Auxiliary meander corners	3-121, 3-122
Accessories	4-111
Markings	4-43, 4-62, 4-81
Auxiliary standard parallel	3-13
Avulsion	7-71 to 7-76
Azimuth, observation for	
Altitude observation of a star	2-50, 2-56
Altitude observation of the sun	2-56 to 2-64
Equal altitude observation of the sun	2-65
Polaris	2-41, 2-46 to 2-48
Solar unit	2-66 to 2-69
Base line	3-9 to 3-11
Bearing of lines	2-17 to 2-19
Bearing trees and bearing objects	4-85 to 4-90
Markings	4-96 to 4-114
Beds of nonnavigable streams and lakes	7-51 to 7-61
Blazing lines	3-125

\* First number indicates chapter. Second number indicates section of that chapter.

Bona fide rights of claimants .....	6-12 to 6-18, 6-42
Boundaries (See Township boundaries, Water boundaries, Grant boundaries, Reservation boundaries)	
Brass tablets for monumentation .....	4-7
Marks on .....	4-23 to 4-46
Broken boundaries (restoration) .....	5-36, 5-43, 5-44
Cadastral survey, definition .....	1-2
Celestial observations (See Observations, Solar observations, Stellar observations)	
Center quarter-section corner .....	3-93, 3-95, 7-12
Arrangement and markings of accessories .....	4-109
Marks on iron posts .....	4-38
Chain, prescribed unit of linear measure .....	2-1
Discrepancies in early measurements .....	5-23
Chaining .....	2-2
Claims in area of survey .....	3-71
Closing corners .....	3-14, 3-15, 3-19, 3-26, 3-42, 3-43, 3-50, 3-58, 3-59, 3-61, 3-68, 3-72, 3-73, 3-113
Arrangement and marking of accessories .....	4-97 to 4-114
Marks on monuments .....	4-25, 4-30, 4-44, 4-49, 4-54, 4-68, 4-73, 5-41, 8-16(6)
Recovered off line .....	5-41
Restoration of .....	5-41
Closing error .....	3-46, 3-124
Collateral evidence .....	5-9 to 5-16
Completion and extension surveys .....	3-100 to 3-114
Completion of partially surveyed sections .....	3-103 to 3-111
Computation of areas .....	9-24 to 9-34, 9-86
Construction of monuments .....	4-9 to 4-14
Control points .....	2-11, 2-14, 4-19
Marks on monument .....	4-82
Control surveys in photogrammetry .....	2-11, 2-14
Convergency of meridians .....	2-79 to 2-81, 3-46
Coordinate systems, State .....	2-11, 2-83
Corner accessories .....	4-5, 4-83, 4-96
Arrangement and marking .....	4-97 to 4-114
Corner monuments, marks on	
Iron posts and brass tablets .....	4-20 to 4-46
Stone monuments .....	4-47 to 4-62
Tree monuments .....	4-63 to 4-81
Corners of public land surveys, defined .....	5-4
Corners of two sections, method of establishment .....	3-37
Correction lines .....	3-12, 3-13
Crooked Lake and Bear Lake case .....	7-93
Declinations of sun, computing hourly .....	2-69
Defective exteriors, rectification of .....	3-36 to 3-45
Dependent resurvey .....	6-4, 6-25 to 6-32
Deposits (Memorials) .....	4-91
Direction of lines .....	2-17 to 2-19
Distance measurement .....	2-1 to 2-7
Division of accreted or relicted land .....	7-62 to 7-67
Double meridian distances .....	9-30 to 9-33
Double proportionate measurement .....	5-25 to 5-29
Double sets of corners .....	3-42, 3-43
Restoration .....	5-35
Electronic telemetry .....	2-7
Elongated sections .....	3-83, 4-41, 6-53
Ephemeris, The .....	1-8(2)
Equal altitude observations of sun for true meridian .....	2-65
Equation of time .....	2-30
Erroneously omitted areas (erroneous meander lines) .....	7-77 to 7-94
Error of closure .....	3-46, 3-124

Evidence of previous survey .....	1-20, 3-4, 4-2, 5-5, 5-9, 9-4
Existent corner	
Defined .....	5-5
Identification .....	5-4 to 5-8
Extension and completion surveys .....	3-100 to 3-114
Exteriors (See Township boundaries)	
Ferry Lake case .....	7-90 to 7-92
Field control, photogrammetry .....	2-11, 2-14
Field notes, Chapter VIII. (For composition of field notes, see section 3-126, the list by subject in section 8-13, and sample field notes in the appendix.)	
As identification of survey .....	9-5
Copies furnished upon field assignment .....	7-2(8)
Direction for preparation in special instructions .....	7-2(9)
Erroneously omitted areas .....	7-87, 7-90, 7-93
Legal significance .....	9-3
Statutory requirement for .....	1-18, 1-20
Use in recovering existent corners .....	5-6, 5-7, 5-11, 5-16 to 5-18, 5-41, 6-27
Use in restoring lost corners .....	3-4, 5-21 to 5-25, 5-27, 5-29, 5-36, 5-37, 5-39, 5-40, 5-42 to 5-47, 6-27
Where filed .....	1-23, 9-63
Field notes, mineral surveys (See under Mineral surveys)	
Field tablets .....	8-2 to 8-6
Fractional sections, subdivision of (See also Lotting of fractional sections)	
by protraction .....	3-81, 3-82, 7-15
by survey .....	3-88, 3-90
Fractional townships, subdivision of .....	3-97 to 3-99
General rules of survey .....	1-20
Geographic (geodetic) position and control .....	2-21, 2-81, 2-82
Governing township boundaries .....	3-17
Governing section lines .....	3-59, 3-62
Grant boundaries .....	3-69, 3-70, 3-73, 5-44
Guide meridians .....	3-14 to 3-16
Gunter's link chain .....	2-1, 5-23
Half-mile posts .....	5-39, 7-10
High water mark (See also Water boundaries) .....	3-115, 3-116
Hourly declinations of the sun, computing .....	2-69
Hoversight .....	2-7
Identification of existent corners .....	5-4 to 5-8
Independent resurvey .....	6-5, 6-33 to 6-35
Metes-and-bounds surveys of private claims .....	6-39 to 6-49
Projection of new lines .....	6-50 to 6-55
Reestablishment of outboundaries .....	6-36 to 6-38
Indian allotment surveys .....	7-8, 7-13, 7-14
Initial points .....	3-6, 3-7
Islands, survey of .....	3-122
Lakes (See also Meander lines)	
Meanders .....	3-121
Partition of beds (nonnavigable) .....	7-47 to 7-61
Latitude	
Instrumental .....	2-71
Meridian altitude observation of the sun .....	2-55
Polaris observations for .....	2-41, 2-44, 2-45
True parallel of .....	2-75 to 2-78
Latitude and longitude .....	2-21, 2-81, 2-82, 9-59
Laws relating to system of public surveys .....	1-16 to 1-20
Legal subdivisions of section .....	1-21, 3-33, 3-75
Limits of authority of surveyor .....	5-13, 6-11
Limits of closure .....	3-46, 3-124
Limits, rectangular .....	3-34
Line trees .....	3-125, 3-126
Use in reestablishing lost corner .....	5-18

Local and county surveyors, function of .....	3-76
Local mean time .....	2-29
Location monuments .....	4-18
Lost corner, defined (See also Restoration of lost corners) .....	5-20
Lotting of fractional sections .....	3-77, 3-79 to 3-82, 9-80 to 9-82
Low water mark .....	3-115
Magnetic needle .....	2-18, 3-126(19)
Magnitude of stars .....	2-51
Marking lines .....	3-125
Marks on monuments (symbols) .....	4-22
Meander corners	
Accessories .....	4-108, 4-111
Control in restoring lost corners .....	5-32
Marks on monuments .....	4-37, 4-42, 4-43, 4-61, 4-62, 4-80, 4-81
Restoration of .....	5-40
Where established .....	3-8, 3-10, 3-18, 3-21, 3-117, 3-121, 3-122
Meander lines (See also Water boundaries) .....	2-14, 3-80, 3-115 to 3-123, 5-43
Mean high water .....	3-115, 3-116
Mean solar time .....	2-28
Measurement	
Methods .....	2-2 to 2-7
Units .....	2-1
Median line of body of water .....	7-54 to 7-56
Memoranda on plats .....	9-59
Memorials .....	4-91, 4-93
Meridian observation of sun for apparent noon .....	2-54
Meridian observation of sun for latitude .....	2-55
Meridians	
Convergency of .....	2-79 to 2-81
Guide .....	3-14 to 3-16
Principal .....	3-6 to 3-9
Metes-and-bounds survey	
of irregular tracts .....	7-16
of private claims in resurvey .....	6-39 to 6-49
Mile corners .....	4-46, 4-113, 5-4, 5-19, 7-16
Mineral segregation surveys .....	7-39 to 7-44
Mineral surveys	
Amended surveys .....	10-61 to 10-63
Applications for survey and order .....	10-2, 10-10, 10-14
Appointment of mineral surveyors .....	10-2
Boundaries of each claim to be ascertained .....	10-5
Amended location certificate .....	10-14
Boundaries confined to location .....	10-9, 10-11, 10-12
Failure to show discovery or to mark boundaries of location .....	10-14
Locations prior to May 10, 1872 .....	10-16
Closure of boundaries .....	10-17
Computation sheets .....	10-41
Connecting lines to corners of conflicting surveys, and to locations if excluded .....	10-26, 10-30
Claims under same ownership .....	10-29
Field note record .....	10-31
Two locations of same survey .....	10-27
Unsurveyed locations .....	10-28
Connecting lines to corners of neighboring surveys .....	10-31
Connecting line to location monument or subdivisional corner .....	10-19 to 10-22
Corner of millsite .....	10-24
Corner monuments, establishment .....	10-36
Bearing objects and trees .....	10-38
Marks .....	10-36
Material .....	10-35
Witness corners .....	10-37
Definition .....	10-1, 10-3, 10-4

Mineral surveys—*Continued*

Deposit for cost of office work .....	10-2
Direction of lines .....	10-7
Discovery point .....	10-13, 10-17, 10-52
Employment of assistants .....	10-2
Field note record .....	10-40
Address of claimant .....	10-47
Amended surveys .....	10-62, 10-63
Areas to be shown or reported .....	10-44, 10-45
Improvements .....	10-52, 10-53, 10-58
Lode line .....	10-17
Names of locations and survey numbers .....	10-43
Reference to subdivisional survey .....	10-46
Specimen field notes .....	10-42
Topography .....	10-34, 10-39, 10-64
Witness corner .....	10-37
Improvements (or development) .....	10-48
Certificate .....	10-49
Common improvements .....	10-53, 10-55 to 10-57
Labor or improvements (or development), definition .....	10-50, 10-51
Location to be ascertained .....	10-52
Millsite included with lode claim .....	10-54
Numbering .....	10-52
Report to be made if improved under abandoned location .....	10-52, 10-60
Supplemental proof .....	10-59
Value to be ascertained .....	10-53
Length and width of claim .....	10-17, 10-18
Location monument, establishment .....	10-20, 10-32
Bearing objects and trees, topographic map .....	10-34
Construction and marks .....	10-33
Lode line position to be recorded in field notes and shown upon plat .....	10-17
Qualifications .....	10-18
Magnetic declination .....	10-8
Measurement of lines .....	10-6
Mineral laws .....	10-1, 10-2
Appointments .....	10-2
Improvements .....	10-48
Locations prior to May 10, 1872 .....	10-16
Locations to be marked .....	10-12
Restrictions on mineral surveyor .....	10-2
Numbering of corners .....	10-21, 10-23
Contiguous claims .....	10-25
Millsite .....	10-24
Placer claims .....	10-25
Plat .....	10-41
Amended surveys .....	10-62
Approval .....	10-65
Certificate .....	10-64
Detail to be shown .....	10-64
Disposition .....	10-65
Lode line .....	10-17
Order of approval .....	10-2
Specimen mineral plat .....	10-64
Subdivisional survey to be shown .....	10-46
Survey number .....	10-10, 10-24
Topography .....	10-34, 10-39, 10-64
Witness corners .....	10-37
Mineral surveys on township plat .....	3-126(13), 9-9, 9-66
Mine surveys .....	7-45
Monumentation (See also specific type monument)	
General requirements .....	4-4 to 4-6
Legal significance .....	4-2

Monument construction .....	4-9 to 4-14
Monument, regulation .....	4-7
Monuments, (special purpose) .....	4-15 to 4-19
Accessories .....	4-96
Marks on .....	4-82
Moon Lake case .....	7-87 to 7-89
Mound of stone .....	4-92
Navigability .....	7-48 to 7-50
Nonnavigable bodies of water	
Meanders .....	3-115 to 3-123
Division of beds .....	7-51 to 7-61
Non-riparian meander lines .....	5-43
Obliterated corner	
Definition .....	5-9
Identification .....	5-10 to 5-16
Testimony .....	5-11
Use of topography .....	5-16
Observations, general requirements (See also Polaris observations, Solar observations, Solar transit, Stellar observations, Time) .....	2-20 to 2-25
Omitted lands .....	7-77 to 7-94
Outlying areas .....	3-103
Parallel of latitude .....	2-75 to 2-78
Parallels, standard .....	3-12, 3-13
Partition of accreted or relicted lands .....	7-62 to 7-70
Partition of beds of nonnavigable waters .....	7-57 to 7-61
Partition of land outside meander line, no gross error .....	7-94
Parts of sections, survey of .....	3-93 to 3-96
Penalty for alteration or removal of monument .....	4-2
Photogrammetry, general requirements .....	2-8 to 2-16
In survey of meander lines .....	3-123
In townsite surveys .....	7-29
Phototriangulation .....	2-12, 2-13
Pits .....	4-94
Plane coordinates .....	2-11, 2-83
Plats	
Acceptance .....	9-1, 9-61
Aerial photographs, and use of data .....	9-54
Annulment or disapproval .....	9-2
Base drawing .....	9-9
Certificates .....	9-61
Computation of areas .....	9-24 to 9-34, 9-86
Copies for public .....	9-62
Directions and lengths of lines and areas .....	3-126, 9-1, 9-8, 9-9, 9-21
Connecting lines .....	3-36, 3-69, 3-71, 3-121, 3-122, 4-15, 9-40
Distribution of original, duplicate and triplicate .....	9-62 to 9-64
Field sketch .....	3-126, 9-53 to 9-56
Fragmentary surveys .....	9-78
Areas, lotting and scale .....	9-80
Certificates and memorandum .....	9-82, 9-83
Directions and lengths of lines, and topography .....	9-82
Distinguished from supplemental plats .....	9-66, 9-78
Titles and subtitles .....	9-58
Geographic names .....	9-56
Latitude and longitude to be shown .....	9-59
Marginal data .....	9-60
Memoranda .....	9-59
Mineral plats (See also under Mineral surveys) .....	10-64
Outlying areas relating to former plats .....	9-23
No additional outlying areas shown on new plats .....	3-100
Requirements with reference to the general Manual subjects .....	9-6

Plats—*Continued*

Revised lottings	9-81
Specimen township plat (See Insert No. 1)	9-7
Titles and subtitles	9-57, 9-58
Use in subdividing sections	3-74, 3-75, 3-92, 9-4, 9-5
Polaris observations	2-32, 2-35, 2-38 to 2-49
Posts, standard monumentation	4-7
Marks on	4-23 to 4-46
Principal meridians	3-6 to 3-9
Proportionate measurement	5-40, 5-41
Basic rules and application	5-16, 5-21 to 5-24
Control corners	3-101, 5-17, 5-18, 5-42, 6-25, 6-28
Double proportionate measurement	5-25 to 5-29
Single proportionate measurement	5-30 to 5-38
Protraction diagrams	2-14, 3-6 Footnote 1
Protraction, subdivision of sections by	3-77 to 3-84
Public lands	
Administration of	1-9 to 1-11
General rules for survey of	1-20
States created from	1-23
Quarter-section corners	3-8, 3-18, 3-21, 3-22, 3-37, 3-40 to 3-43, 3-48, 3-50 to 3-52, 3-58, 3-61 to 3-63, 3-69, 3-103 to 3-105, 3-107
Arrangement and markings of accessories	4-105 to 4-107
Marks on iron posts	4-34 to 4-36
Marks on stone monuments	4-58 to 4-60
Marks on tree monuments	4-77 to 4-79
Restoration	5-34 to 5-36, 5-38
Records of surveys, where filed	1-23, 9-62
Rectangular limits	3-33 to 3-35
Rectangular surveys	
Early development	1-17
Legal definition	3-2, 3-4, 3-33
Principles of	3-3 to 3-7
Reference monuments	4-5, 4-16, 4-82, 4-83, 4-96
Reliction	7-63
Removal or alteration of monument, penalty for	4-2
Reservation boundaries	3-69, 3-70, 3-73, 5-44, 7-13
Restoration of lost corners (See also particular type of corner)	
Authority and jurisdiction	5-1 to 5-3
General procedure	5-21 to 5-23
Special cases	5-46, 5-47
Restoration of lost or obliterated corners and subdivision of sections, a guide for surveyors	1-8(3)
Resurveys, Chapter VI (See also Dependent resurvey, Independent resurvey)	
Definitions:	
Dependent resurvey	6-4
Independent resurvey	6-5
Resurvey	6-1
Retracement	6-7, 6-8
General field methods	6-19 to 6-24
Jurisdiction	6-9, 6-10
Retracement, definition	6-7
Rights of claimants	6-12 to 6-18, 6-42
Riparian rights	3-122, 7-88, 7-94, 7-97
Rivers (See also Meander lines)	
Meanders	3-120
Partition of beds (nonnavigable)	7-47 to 7-59
Sectional correction line	3-40, 3-61 to 3-63, 3-65
Sectional guide meridian	3-41, 3-58 to 3-60, 3-64
Section corners	3-8, 3-18, 3-21, 3-22, 3-34, 3-37, 3-40 to 3-42, 3-48, 3-58, 3-61 to 3-63
Arrangement and marking of accessories	4-102 to 4-104

Section corners—*Continued*

Marks on iron posts	4-29 to 4-33
Marks on stone monuments	4-53 to 4-57
Marks on tree monuments	4-72 to 4-76
Restoration	5-28, 5-29, 5-34 to 5-37, 5-45
Sections, subdivision of	3-74 to 3-92
Sidereal time	2-32
Single proportionate measurement	5-30 to 5-38, 5-41
Sixteenth-section corners	3-86, 3-89 to 3-95, 7-12
Arrangement and marking accessories	4-110
Marks on iron posts	4-38, 4-40, 4-41
Sketch plat	3-127, 9-52 to 9-56
Small-tract surveys	7-32
Soil classification	3-126, 7-100 to 7-104, 8-17
Solar observations (See also Observations)	2-53 to 2-65
Solar transit	2-66 to 2-73
Adjustment of solar unit	Appendix I
Sovereignty over navigable waters	1-12
Special instructions, defined	7-1
preparation of	7-2
Special meander corner	3-121, 3-122
Accessories	4-111
Markings	4-42, 4-62, 4-81
Special surveys, definition of	7-4
Specimen mineral plat	10-64
Specimen township plat	9-7 to 9-10
Stadia, limitation of use	2-3
Standard field tables and trigonometric formulas	1-8(1)
Standard parallels	3-12, 3-13
Standard quarter-section, section, and township corners	3-10
Arrangement and marking accessories	4-97, 4-105
Marks on iron posts	4-24, 4-29, 4-34
Marks on stone monuments	4-48, 4-53, 4-58
Marks on tree monuments	4-67, 4-72, 4-77
Restoration	5-30, 5-32, 5-33
Standard time	2-31
Star identification	2-50, 2-51
Star magnitudes	2-51
State boundary monuments	3-69, 4-25, 4-46, 5-19
State coordinate systems	2-11, 2-83
Stellar observations (See also Polaris observations)	2-50 to 2-52
Stereophotogrammetry (See Photogrammetry)	
Stone monuments	4-8
Marks on	4-12, 4-47 to 4-62
Subdivision corners, minor	4-39, 4-83, 7-12
Subdivision of fractional sections	
by protraction	3-81, 3-82, 7-15
by survey	3-88, 3-90
Subdivision of fractional townships	3-97 to 3-99
Subdivision of sections by protraction	3-77 to 3-84
In completing partially surveyed section	3-110, 3-111
Independent resurveys	9-88, 9-93, 9-100 to 9-102, 9-104, 9-105, 9-108, 9-109
Plat construction	9-8, 9-9, 9-21 to 9-30, 9-65, 9-82, 9-86
Supplemental plats	9-65 to 9-69, 9-73 to 9-75
Subdivision of sections by survey	3-85 to 3-92, 3-95, 7-8 to 7-15
Subdivision of sections, general	3-74 to 3-76
Subdivision of townships	3-47 to 3-73, 3-97 to 3-99
Subtense bar, rules for use of	2-4
Supplemental plats (See under Plats)	
Survey of parts of sections	3-93 to 3-96



Swamp and overflowed lands	
Definition and rules for survey	7-95 to 7-99
Legislation	1-13 to 1-15
System of rectangular surveys (See Rectangular surveys)	
Tablets, regulation brass, for monumentation	4-7
Tapes, description and use	2-2
Telemetry, electronic	2-7
Tidelands	1-12, 7-96
Time conversion, examples	2-36, 2-37
Time, equation of	2-30
Time, observations for	
Altitude observation of the sun	2-63
Meridian observation of a star	2-52
Meridian observation of the sun	2-54, 2-55
Time, rates and definition by class	2-26 to 2-33
Topography	3-126, 5-16, 5-40, 7-2(8), 8-16(c), 9-41 to 9-56
Township boundaries	3-17 to 3-46
Allowable deviation from cardinal course	3-26 to 3-28
Closing error	3-46
Completion of partially surveyed exteriors	3-29, 3-30
Defective exteriors, rectification	3-36 to 3-45
Field note record	3-23, 3-32
Governing boundaries	3-17
Latitudinal boundaries, surveying procedure	3-21, 3-22
Meridional boundaries, surveying procedure	3-19, 3-20
Order of survey	3-18
Retracement before subdividing	3-31, 3-32
Section lines as offsets to exteriors	3-25
Township corners	3-8, 3-10, 3-14, 3-18, 3-20, 3-26, 3-30
Marks on iron post	4-24 to 4-28
Marks on stone monuments	4-48 to 4-52
Marks on tree monuments	4-67 to 4-71
Restoration	5-26, 5-27, 5-29
Townsite surveys	7-17
Transfer of azimuth, station error, and curvature	2-74
Traversing	
Connection lines	3-71
Rules for	2-5
Tree corner monuments	4-13
Marks on	4-63 to 4-81
Triangulation	2-6, 3-23, 3-53, 3-122
Underground or mine surveys	7-45
Upland within swamp and overflowed lands	3-122
Water boundaries (See also Meander line)	7-46 to 7-94
Witness corners	3-117, 4-15
Accessories	4-5, 4-96
Marks on monuments	4-82
Use of in fixing original corner point	5-17
Witness point, defined	4-17
Accessories	4-96
Marks on monuments	4-82
Witness trees (See Bearing trees)	